



The Groundhog GP360D Welfare Unit has been approved by VCA.



GP360^D

from [Groundhog](#)

Ground lowering, anti-vandal,
Mobile Welfare Accommodation Unit

Mindful of the environment, lightweight, compact & well equipped

GP360^D

Comfortable, Compact and HSE compliant, easily towed and secured in minutes saving time and money.




The single axle Groundhog Mobile Welfare Unit GP360D is a lightweight and compact towable unit that meets HSE requirements and provides all your on-site needs in one small package.

The units are suitable for accommodating six persons, which provides pleasant and safe working environments, ideal for rental companies and contractors.

Easily towed, one man operation secured and manoeuvred on site, in less than 3 minutes. Its many safety features make it a high secure and money saving choice of welfare unit.

- > Warm water supplied by an on-board heater system
- > Spacious, well equipped canteen / 6 person seating area
- > Secured in less than 3 minutes
- > High security doors and windows
- > Meets HSE requirements



The GP360D complies with Health & Safety regulations which guarantees certain facilities for contractors working on site.

Regulation 20	Sanitary Conveniences	✓
Regulation 21	Washing Facilities	✓
Regulation 22	Provision for Drinking Water	✓
Regulation 23	Provision for Drying Clothing	✓
Regulation 24	Facilities for Changing Clothing	✓
Regulation 25	Facilities for Rest & to Eat Meals	✓

Specifications

- >Dimensions: **3600mm (L) x 2300mm (W)***
- >Net Weight: **1760kg* (approx.)**
- >Gross Weight: **1800kg***





1. Welfare Area

- Table and bench seating for up to 6 persons
- Electric wall mounted heater
- Microwave and kettle
- Warm water supplied by on-board heater system
- Large stainless steel sink
- 240 Volt Lighting
- Single 2amp socket outlet
- Fresh drinking water container (20 Ltr)



2. Toilet Area

- Plastic Recirculating Toilet c/w ventilation pipe
- Recirculating forearm wash basin with cold water foot pump
- Warm water supplied by on-board heater system
- Toilet roll holder
- 12 Volt L.E.D. light with movement sensor
- Ventilation panel



3. Warm Room / Generator Area

- Bulkhead light 240 Volt
- Tubular heater
- Coat hooks
- Ventilation panel
- 6KVA Diesel Generator with exhaust venting through roof area
- Access to fuel tank with separate fuel level gauge (58-ltr cap)
- Fuel Active system



Secured in less than 3 minutes

Easily towed, one man operation secured and manoeuvred on site. Its many safety features make it a high secure and money saving choice of welfare unit for rental companies and contractors.



Unhitch from towing vehicle and operate hydraulics using the push button controls



Lower unit to the ground and unplug controls



Close & lock canopy to protect towing facility



1 min

3 min

Many vandal resistant, safety features



High security window shutters



High secure double lock door with integral window and vent



General features

Canteen

- Table and bench seating for up to 6 persons
- Microwave and kettle
- Fresh and waste water containers (20-ltr cap each)
- Warm water supplied by on-board heater system
- Large stainless steel sink
- Electric pump for water system
- Electric wall mounted heater
- 240 Volt Lighting
- Single 2amp socket outlet
- Consumer board c/w RCD & MCB's
- Generator control panel with hour run meter
- Paper towel dispenser
- Liquid soap dispenser
- Disposable cup dispenser
- Carbon monoxide monitor
- Smoke alarm
- Air vents
- Fresh drinking water container (20-ltr)

Generator / Drying Room

- Bulkhead light 240 Volt
- Tubular heater
- Coat hooks
- Ventilation panel
- 6KVA diesel generator with exhaust venting through roof area
- Fuel Active system
- Access to tank complete with fuel level gauge (58 Ltr cap)

Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Recirculating forearm wash basin with cold water foot pump
- Warm water supplied by on-board heater system
- Toilet roll holder
- 12 Volt L.E.D. light with movement sensor
- Ventilation panel

Optional Extras

- Safety Kit
- Starter Kit
- Waste bin
- Painted in clients corporate colour scheme
- Full flush 12 Volt toilet complete with fresh water tank (60-ltr) and effluent tank (100-ltr)
- Galvanised chassis
- Spare wheel
- Lifting eyes

To find out more about the GP360D contact us on...

Tel 01639 823 484

Email sales@genquip.co.uk

Genquip Ltd, Aberafan Road, Baglan Industrial Park, Port Talbot SA12 7DJ

www.genquip-groundhog.co.uk

* Weights and sizes shown may vary slightly. Groundhog reserve the right to change specification without prior notice.