









BWX 15/250 BOWSER PRESSURE WASHER





BWX BOWSER PRESSURE WASHER

Heavy duty towable pressure washer comes with a 1125 litre water tank coupled to a 8.9hp Yanmar Electric-Start Diesel engine.

The robust chassis is made of 5mm hot dipped galvanised steel and is European whole Vehicle Type approved allowing for towing on public roads, making this ideal for a range of jobs.

The washers design makes it well suited for remote and harder to reach areas. The HDPE water tank also includes an internal baffle to prevent water surges whilst the machine is being towed.

Ideal for the rental market!

FEATURES & BENEFITS

Bowser

- Robust T-Frame chassis fully Hot dipped galvanised, European whole Vehicle Type approved.
- 1125litre / 250gallon durable Polyethylene tank, with generous 550mm hinged lockable cover. Internal baffle and filler strainer as standard.
- 2 x drain taps to allow drainage of the Pressure Washer Pump or Pump and Tank. Allows for safe transporation and prevents frost damage,
- 2 x 175R13 8ply tyres c/w moulded mudguards.
- Knott-Avonride 200kg auto reverse braked coupling, fitted with either 40mm towing eye as standard or 50mm ball option to meet your requirements.
- Lance holder integrated into the trailer complete with hose storage hooks.
- Side / front reflectors, lighting equipment complete with 13-pin plug and 7-pin adaptor.
- Break-away cable.
- Telescopic jockey Wheel / Jack.
- Forklift points for safe on-site transportation.
- LED Lightboard option available complete with 13-pin plug and 7-pin adaptor.
- High capacity 25 litre Anti-freeze tank option available.
- Gravity-fed spray bar option for on-site dust suppression.
- Customer colour options available (Tank Lid).

Pressure Washer

Robust, compact full Engine and Pump protection frame.

Professional Yanmar diesel engine with recoil and electric start as standard.
Accessible service points.

Detergent / chemical feed-line complete with

strainer filter.Inlet-line strainer for added pump protection.

 Anti-Theft Bolts securing the Pressure Washer to the chassis.

Ignition warning system.

High quality, heavy-duty triple piston pump.

 Professional two-wire, 10m braided hoses, complete with quick-screw adaptors and swivel couplings.

- Thermal pump protection.
- Lance comes complete with safety trigger lock.
- Specifically designed for hire and rental markets.
- Customer colour options available (Side Plates & Battery Cover).





FORKLIFT POINTS FOR SAFE ON-SITE TRANSPORTATION



TANK AND PUMP DRAIN TAPS FOR SAFE TRANSPORTATION & PREVENT FROST DAMAGE



INTO THE TRAILER WITH
HOSE STORAGE HOOKS



40MM TOWING EYE, BREAK-AWAY
CABLE & TELESCOPIC JOCKEY WHEEL /
JACK (OPTIONAL 50MM BALL HITCH
ALSO AVAILABLE)



ANTI-THEFT BOLTS SECURING THE PRESSURE WASHER TO THE CHASSIS



GRAVITY-FED SPRAY BAR OPTION FOR DUST SUPRESSION




LED LIGHTBOARD OPTION AVAILABLE COMPLETE WITH 13-PIN PLUG AND 7-PIN ADAPTOR



GENEROUS 550MM TANK MOUTH & INTERNAL TANK BAFFLE

TECHNICAL SPECIFICATIONS



BWX 15/250

BWX152501DS

Unladen Weight / Max Laden Weight	(Kg)	460 / 1500
Water Tank Capacity	(Ltrs)	1125
Tyre Size	(mm)	175 x 13 -8
Tyre Pressure	(psi - bar)	60 - 4.13
*Max. Towing Speed	(mph)	60
Tow Eye Type		40mm Ring Eye
Engine		Yanmar L100 Electric Start
Engine Power	(Hp-kW)	8.9 - 6.6
Water Flow	(lpm)	15
Max. Water Pressure	(bar - psi)	250 - 3600

Max. Water Inlet Temperature (°) 40/45 (Ltrs) 5.4 Fuel Tank Capacity (M) Hose Length 10 Gearbox Driven Pump Yes Vibration Level (m/sec^2) < 2.5 Sound Power Level (dB(A))109

Options

Model

Part No.

OPPW/01/FIO 50mm Tow Ball
OPPW/03/DIO LED Lightboard
OPPW/04/DIO Gravity-Fed Spray Bar
OPPW/05/DIO Anti-Freeze Tank



ALTRAD BELLE Sheen, Nr. Buxton, Derbyshire, SK17 OEU, GB Tel. +44 (0)1298 84606 - Fax +44 (0)1298 84722 - Email: sales@altrad-belle.com